Date: November 30, 2004

I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with he U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450.

exandria, VA 22313-1450 by "First Class Mail" service.

k (Print)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of: REZNEK et al. Examiner: Unassigned

Application No.: 10/650,124 Group Art Unit: 3623

Filed: August 27, 2003 Confirmation No.: 5523

Docket No. CBK03073 (3600-374-44)

METHODS OF SPECIFYING OR IDENTIFYING PARTICULATE MATERIAL For:

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT PURSUANT TO 37 CFR 1.97(b)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

November 30, 2004

PTO did not receive the following

Sir:

The attention of the Patent and Trademark Office is hereby directed to the documents listed on the attached Form PTO-1449. Pursuant to the current United States Patent and Trademark Office rules, no copies of U.S. Patents/Patent Application Publications are provided.

This Supplemental Information Disclosure Statement is being submitted after expiration of the three-month period following filing of the above-captioned application, but before an Office Action on the merits and before any Final Office Action or Notice of Allowance.

Should a first Office Action cross in the mail with the filing of this Supplemental Information Disclosure statement, then applicants respectfully petition under 37 C.F.R.§ 1.97(c) to consider the documents set forth in the Supplemental Information Disclosure Statement.

The above information is presented so that the Patent and Trademark Office can, in the first instance, determine any materiality thereof to the claimed invention. See 37 CFR 1.104(a) and 1.106(b) concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be expressly considered during the prosecution of this application,

Supplemental Information Disclosure Statement

U.S. Patent Application No. 10/650,124

and that the documents cited in the attached Form PTO-1449 be made of record therein and appear

on the first page of any patent to issue therefrom.

This submission does not represent that a search has been made or that no better art exists

and does not constitute an admission that each or all of the listed documents are material or

constitute "prior art." If the Examiner applies any of the documents as prior art against any claim in

this application and applicant determines that the cited documents do not constitute "prior art" under

United States law, applicant reserves the right to present to the office the relevant facts and law

regarding the appropriate status of such documents.

Applicant further reserves the right to take appropriate action to establish the patentability of

the disclosed invention over the listed documents, should one or more of the documents be applied

against the claims of the present application.

It is believed that no fee is required to make this a complete and timely filing. However, if it

is determined that a petition or fee is required, the Commissioner is hereby authorized to charge any

fee associated with this statement to our Deposit Account No. 50-0925 and please consider this a

petition.

Respectfully submitted,

Reg. No. 33.25

Atty. Docket No.: CBK03073 (3600-374-44)

KILYK & BOWERSOX, P.L.L.C.

53 A East Lee Street

Warrenton, VA 20186

Tel.:

(540) 428-1701

Fax:

(540) 428-1720

Enclosures:

Form PTO-1449 and 56 documents

- 2 -

FORM PTO-14 (REV 7-80)

Atty. Docket No. CBK03073 (3600-374-44) APPLICANT: REZNEK et al.

Application No. 10/650,124

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Filing Date: August 27, 2003

Group Art Unit: 3623

	_		U.S. PA	ATENT DOCUME	NTS			
EXAMINER'S INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE, IF APPROPRIATE	
NAMES OF TAXABLE PROPERTY		5,190,739	5/2/93	MacKay et al.	423	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT		
	000000000	5.211,932	5/18/93	Blaylock et al.	423	450	previously	
		5,688,317	11/18/97	MacKay et al.	106	476	considered	
		5,974,167	10/26/99	Reseler	382	141	0000	
	THE REAL PROPERTY.	6,156,837	12/5/00	Branan, Jr. et al.	524	495	20000000	
STATES OF THE PARTY OF THE PART		2003/0162876 A1	8/28/03	Vanier et al.	524	494	30000000	
	'	OTHER DOCUM	ENTS (Inclu	ding Author, Title,	Date, Pert	inent Pages, Etc	c.)	
\$00000000000000000000000000000000000000	Attac	inni a Deerlinnii	it History	2000008/25/2006			-V	
/LA/	Stron	n, "Wetting studies rela	ated to offset	printing," Vol. 50-0	4C, pp. 768	3 (1988) Abstract	only	
1.74	Tikho	onov. "On the evaluation	on of the wor	k of adhesion, cohes	sion, and su	rface tension of h	nigh - viscous and solid	
88888		es," Kolloidn Zh, Vol.					ingii viscous una sono	
00000					ion propert	ies of some poro	us glasses," Mater Che	
	Phys.	. Vol. 25, No. 2, pp. 18	5-198 (1990)) Abstract only				
000000000000000000000000000000000000000	Janczuk, et al., "Surface free energy of celestite and its flotation activity," Colloids Surf. Vol. 35, No. 1, pp. 4 (1989) Abstract only Wojcik et al., "Gas-adsorption studies on correlations between the flotability of minerals and the work of water adhesion to their surfaces," Colloids Surf. Vol. 30, No. 3-4, pp. 275-285 (1988) Abstract only						Vol. 35, No. 1, pp. 41-	
000000000000000000000000000000000000000								
Lipatov, "Adhesion at the polym (1994) Abstract only				ymer mixtures-solid interface," Vide, Couches Minces, Vol. 50 (274), pp. 415-420				
000000000000000000000000000000000000000	Hill, "Wall slip in polymer melts: A pseudo-chemical model," J. Rheol. Vol. 42, No. 3, pp. 581-601 (1998) Abstract only							
	Scheie, "The upward force on liquid in a capillary tube," Am. J. Phys. Vol. 57, No. 3, pp. 278-289 (1989) Abstract only							
Lee et al., "Effects of polymer-filler interaction on the mechanical properties of nylon 6,6 filled with organosilane-treated fillers," J. Adhes. Sci. Technol., Vol. 3, No. 4, pp. 291-303 (1989) Abstract only Abramzon et al., "Determination of the work of adhesion and cohesion" ZH. Prikladnoi Khim, Vol. 5 1040-1043 (1980) Abstract only								
					Khim, Vol. 53, No. 5, p			
000000000000000000000000000000000000000	Mangipudi et al., Direct measurement of molecular level adhesion between poly(ethylene terephthalate) and polyethylene films: Determination of surface and interfacial energies," J. Adhesion Sci. Technol., Vol. 8, No. 11 pp. 1251-1270 (1994) Abstract only							
200000000000000000000000000000000000000		n, "Surface properties on nology, pp. 255-263 (1			. First Inter	nat. Congress on	Adhesion Science and	
Kaya, "The effect of pore fluid contamination on a selected physical (Adsorption, Conductivity), Vol. 57-05B, p. 3354 (1996) Abstra				mical parameters	of fine grained soils			

		<u> </u>	Page 2 of 4
FORM PTO-1449 (RE	-80) 2 2004 J	Atty. Docket No. CBK03073 (3600-374-44)	Application No. 10/650,124
SUPPLEMENTAL INFORM	CATION ACT	APPLICANT: REZNEK et al.	
SUPPLEMENTAL INFORM DISCLOSURE STATEM	ENTADEMA	Filing Date: August 27, 2003	Group Art Unit: 3623

/L A /	Qin, "Adhesion properties of polymeric materials (Asphalts, Cohesion), Vol. 57-02B, p. 1260 (1995) Abstract only
000000000000000000000000000000000000000	Stepanov, "Electrocapillary behaviour of liquid bismuth in binary melts of strontium chloride with sodium and cesium chlorides," Ehlektrokhimiya, Vol. 30, No. 8, pp. 1032-1038 (1994) Abstract only
X0000000000000000000000000000000000000	Kulawik, et al., "Kinetics of the molecular interactions in some extraction system," ISEC '88 International solvent extraction Conference, Vol. 2, pp. 77-78 (1988) Abstract only
000	Nardin et al., "Stress transfer analysis in fibre/elastomer interfaces," Comptes-Rendus des Huitiemes Journess Nationales sur les Composites, "pp. 289-300 (1992) Abstract only
	Maugis, "Adherence and Fracture Mechanics," Adhesive Bonding, pp. 303-335 (1991) Abstract only
200000000000000000000000000000000000000	Wan et al., "Surface forces at crack interfaces in mica in the presence of capillary condensation," Acta Metallurgia et Materialia, Vol. 38, No. 11, pp. 2073-2083 (1990) Abstract only
	Savenko et al., "Effect of diamond-like carbon coatings on the mechanical properties of subsurface layers of single crystals of silicon," Physics and Chemistry of Materials Treatment, Vol. 31, No. 2, pp. 149-153 (1997) Abstract only
000000000000000000000000000000000000000	Lellig et al., "Glass and polymer: wetting and adhesion," Glass Science and Technology, Vol. 69, No. 11, pp. 357-367 (1996) Abstract only
000000000000000000000000000000000000000	Maugis, "Adherence of elastomers: fracture mechanics aspects," Journal of Adhesion, Vol. 23, No. 1, pp. 61-66 (1987) Abstract only
	Riande et al., "Fundamental aspects of the adhesion of polymers," Revista de Plasticos Modernos, Vol. 80, No. 530, pp. 170-179 (2000) Abstract only
000000000000000000000000000000000000000	Gilbert, "Surface treatments for particulate fillers in plastics," Plastics Additivies. AN A-Z reference, pp. 590-603 (1998) Abstract only
000000000000000000000000000000000000000	Maltese, "Interfacial energy between polymers," Materie Plastiche ed Elastomeri, VBol. 64, Nos. ½, pp. 74-78 (1999) Abstract only
000000000000000000000000000000000000000	Cherry et al., "Predicting work of adhesion using molecular modeling," Adhesion '96, Conference Proced., Vol. 1, pp. 299-304 (1996) Abstract only
200000000000000000000000000000000000000	Feinerman et al., "Rule of interfacial equilibrium," J. Adhesion, Vol. 60, Nos. 1-4, pp. 99-112, (1997) Abstract only
	Geraghty et al., "Investigation of parameters influencing bioadhesive properties of myverol 18-99/water gels," Biomaterials, Vol. 18, No. 1, pp. 63-67 (1997) Abstract only
200000000000000000000000000000000000000	Wimolkiatisak et al., "Directly paintable, high adhesion polyolefin compounds, Plast' 21 No. 43, pp. 44-47 (1995) Abstract only
200000000000000000000000000000000000000	Drzal, et al., "Adhesion of carbon fibres to polycarbonate matrices: interphase composition and structure," Antec '95. Vol. II, Conference Proceedings, pp. 2877-2881 (1995) Abstract only
x,000000000000000000000000000000000000	Moore, "Wetting in rubber-to-metal bonding agents," Rubb. Plast. News, Vol. 24, No. 7, pp. 17-18 (1994) Abstract only
X0000000000000000000000000000000000000	Mangipudi et al., "Adhesion of thin polymer films: Effects of surface and interfacial energies and rheological properties," Antec '93 Conference Proceedings, Vol. III, pp. 3099-3100, (1993) Abstract only
V	Bautista et al., "Surface characterization of polypropylene used as a matrix in composite materials," Rev. Plast. Mod. Vol. 66, No. 449, pp. 505-509 (1993) Abstract only

/Lyle Alexander/ 06/21/2010

••				Page 3 of 4
FORM P	ΓΟ-1449 (REV 7-30)	Š	y. Docket No. 3K03073 (3600-374-44)	Application No. 10/650,124
SUPPLEMEN	TAL INFORMACIO	N at SAI	PPLICANT: REZNEK et al.	
DISCLOS	NTAL INFORMATIO SURE STATEMENT	Fil Fi	ling Date: August 27, 2003	Group Art Unit: 3623

	/LA/	Pritykin et al., "New thermodynamic characteristics of polymer adhesive properties," International Adhesion Conference, p 11.1-3 (1984) Abstract only
	/LA/	Moskvitin, "Physiocochemical Principles of Gluing and Adhesion processes, NSF, Rpt. No. SFCSI-Agr (TT-68-50368, p. 197 (1969) Abstract only
	/LA/	Mayne, "Further developments with epoxy/polyamine films," Corros. Sci., Vol. 35, Nos. 5/8, pp. 1359-1361 (1993) Abstract only
	/LA/	Padday, "Spreading, wetting, and contact angles," J. Adhes. Sci. Tech., Vol. 6, No. 12, pp. 1347-1358 (1992) Abstract only
	/LA/	Mark, "Future improvements in cohesive and adhesive strength of polymers. I.," Adhesives Age, Vol. 22, No. 7, pp. 35-40 (1979) Abstract only
;		Hansen, "The three dimensional solubility parameter - key to paint component affinities: I. Solvents, Plasticizers, Polymers, and Resins," Journal of Paint Technology, Vol. 39, No. 505, pp. 104-117 (1967)
		Hansen, "The three dimensional solubility parameter - key to paint component affinities: II and III - II. Solvents, Plasticizers, Polymers, and Resins," Journal of Paint Technology, Vol. 39, No. 511, pp. 505-510 (1997)
	- And the train -	Hansen, "III. Independent calculation of the parameter components," Journal of Paint Technology, Vol. 39, No. 511, pp. 511-514 (1967)
		Hansen et al. "On the use of cohesion parameters to characterize surfaces," J. Adhesion, Vol. 15, pp. 275-286 (1983)
	viously sidered	Hansen, "Cohesion parameters for surfaces, pigments, and fillers," Surface Coatings International Vol. 8, pp. 386-391, (1997)
		Shareef et al., "Suspension interaction of pigments in solvents: characterization of pigment surfaces in terms of three-dimensional solubility parameters of solvents," Journal of Coatings Technology, Vol. 58, No. 733, pp. 35-44 (1986)
		Vinther, "Application of the concepts solvbility parameter and pigment charge," Chemie des Peintures Engl. Vol. 34, No. 10, pp. 363-372 (1971)
		Schreiber, "Solvent balance, dispersion and rheological properties of pigmented polymer compositions," Journal of Paint Technology, Vol. 46, No. 598, pp. 38-39 (1934)
		Burrell, "The challenge of the solubility parameter concept," Journal of Paint Technology, Vol. 40, No. 520, pp. 197-208 (1968)
		Trudgian, "The pattern of solvent-resin-pigment affinities," Official Digest, Presented at the 41st Annual Meeting of the Federation of Societies for Paint Technology, pp. 1210-1231 (1933)
		Schroder, Colloid chemistry aids to formulating inks and paints, Harmonization of the energetics of raw materials by using the solubility parameter concept," Vol. 5, No. 98, pp. 334-340 (no date
		Chasey, "Methods for evaluating oil/polymer interactions in carbon black filled compounds," Rubber World, pp. 35-40 (1993)
	A	Wolff, et al., "Filler-elastomer interactions. Part VII. Study on bound rubber," Rubber Chemistry and Technology, Vol. 66, No. 2, pp. 163-177 (1993)
	A ROBERT OF THE PARTY OF THE PA	Barton, "CRC Handbook of solubility parameters and other cohesion parameters," pp. 1-21, (1991)
		Kaya, et al., "Interfacial parameters and work of adhesion in soil-liquid systems," Geotechnical Testing Journal, Vol. 23, No. 4, pp. 464-471 (2000)

/Lyle Alexander/ 06/21/2010

SECONDA PROPERTY OF THE PROPER	Skaarup, "The three dim	ensional solubility parameter a	y or organic solids, and solubility parameter theory:
16000000000000000000000000000000000000	Grubenmann, "The solve investigation by means of	nt dependence of the solubility of an organic pigment," Dyes a	y of organic solids, and solubility parameter theory: nd Pigments, Vol. 21, pp. 273-292 (1903)
EXAMINER	/Lyle Alexander/		DATE CONSIDERED 06/21/2010

Copies of the non-USP references considered here can be found in the related application 10/649,347.